

# Welcome to Grimsholm®



## Finally - the 2023-season catalogue is here, including Grimsholm's biggest product-group launch ever.

Our Water & wash category contains already more than 40 articles, and more is to come. The irrigation assortment will be one of our strongest and most attractive concepts ever launched mainly because the high quality to affordable prices. The assortment will improve retail and specialty stores competitiveness.

Once again, I would like to present my great appreciation to all existing customers and partners for your efforts made so far during last season. It was a tough market situation we all needed to handle, and I am very satisfied with all your efforts. Based on your incredible achievements, Grimsholm have grown with close to 60% in turnover and are now present in more than 30 European countries.

For 2023, we have improved our IT-systems and implemented more efficient working routines especially within our supply and logistic processes. Also, with a more educated and comprehensive customer support department we will lift the entire business and give you as a customer better service and support than ever before.

Grimsholm is simply now taking a step up as one of the leading European accessory suppliers within garden and forest industry.

Secure your assortment for the upcoming year and order now!

With best wishes for great sales during 2023!

Denniz Gustafsson, CEO

## CONTENT

### Robot lawn mower accessories

- 5-7 Knives
- 8 Robot mower fence **NEW**
- 9-11 Signal cables
- 12 Signal cable spikes
- 12 Signal cable testers
- 13-14 Repair & Installation packages
- 15-16 Lightning Protector
- 17-19 Couplings & Connectors
- 20 Batteries & Ground screw
- 21 Robot Garage
- 22 Wall Hangers **NEW**
- 23-24 Robot Mower Edges
- 25-26 Hybrid grass **NEW**

## WORLD LEADER IN ROBOT MOWER ACCESSORIES

### Water & Wash

- 27-28 Intro
- 29-30 Couplings & Adapters
- 31-32 Spray Guns & Water Wands
- 33 Timers
- 34 Smart Home & Garden
- 35 Sprinklers
- 36-38 Garden Hoses
- 39-40 Hose Carts

## NEW ASSORTMENT LAUNCH

### 41-42 Laboratory & Growth

### Trimmer & brush cutter accessories

- 43-44 Trimmer line
- 45-46 Brush cutter saw blades **NEW** **NEW 20 MM BLADE ASSORTMENT**

### Spark plugs

- 47-48 For garden, forest and hobby equipment

### Fuel & Lubrication

- 49-52 Alkylate 2 & Alkylate 4 **PREMIUM ALKYLATE SUCCESS STORY**
- 53-54 Grease & Oil

### Chainsaw and harvester accessories

- 55-58 Guide bars, Saw- & Harvester chains
- 59-60 Harvester chains **READ THE PROFESSIONAL USER REPORT**

### 61-62 Easy order & Warranty

# NEWS

## NEW MARKET LAUNCH - WATER & WASH

We announce the launch of our new Water & Wash range.

There has long been a high demand for quality irrigation accessories on the European retail market, but affordable premium products have been few. Grimsholm Lab has built a base assortment of premium products that will continue to grow in the coming years, with a focus on high-end materials and connectivity.



### HOSE COUPLING

100% Compatibility with other brands

- Stainless steel spring
- UV protected
- Rubber grip

### ON/OFF TAP ADAPTERS

- Cast aluminium
- Brass nut
- Rubber grip



## WIDER RANGE OF ROBOT ACCESSORIES

For 2023 we further solidify our position as the industry leader in accessories for robot lawn mowers.

In order to provide robotic lawn mowers better performance and a longer lifespan, our creative R&D section, Grimsholm Lab, has concentrated on the most popular accessories for maintenance and protection.

### ROBOT MOWER FENCE

Protect an area with sturdy steel arches

- Easy to use
- No need for adjusting installation
- High corrosion resistance

page  
8



page  
26

### HYBRID GRASS 25 M

Restore and protect the lawn



page  
7

STIHL/VIKING 30CM



page  
7

ROBOMOW RK



page  
7

STIGA STIG

# ROBOT MOWER

## ACCESSORIES

### KNIVES FOR ROBOT MOWERS


**BEST  
SELLER**



LONG LIFE SPAN AND HIGH SHARPNESS  
For optimal cutting result

- Stainless steel
- Bendable for safety
- Long life span

Grimsholm's knives of "razorblade" type for robot lawn mowers are bestsellers. The knives have been optimized for strength, sharpness and durability for optimal cutting results. All knives are also bendable to avoid parts of broken blades in the lawn.



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
101	7350076761019	Knives for Automower, 9 pcs	3Y	20
105	7350076761057	Knives for Automower, 36 pcs	3Y	20
109	7350076761095	Knives for Automower, repair shop package, 600 pcs	3Y	1
110	7350076761101	Knives for Automower, refill 600 pcs	3Y	1



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
114	7350076761149	Knives for Honda Miimo, 9 pcs	3Y	20
1160	7333272011607	Knives for Ryobi Roboyagi, 9 pcs	3Y	20
1165	7333272011652	Knives for Greenworks, Powerworks, Cramer, 9 pcs	3Y	20
1170	7333272011706	Knives for Mowox, 9 pcs	3Y	20
1175	7333272011751	Knives for Einhell, 9 pcs	3Y	20
1180	7333272011805	Knives for Yardforce, 9 pcs	3Y	20
117	7350076761170	Knives for Bosch Indego, 9 pcs	3Y	20
120	7350076761200	Knives for Worx, 12 pcs	3Y	20



# KNIVES FOR ROBOT MOWERS

Knife in sustainable spring steel suitable for several models of Stiga Autoclip, Ambrogio and Wiper.



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
122	7350076761224	Knife for Stiga Autoclip, Ambrogio and Wiper, 25 cm	3Y	10
123	7350076761231	Knife for Stiga Autoclip, Ambrogio and Wiper, 29 cm	3Y	10



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
121	7350076761217	Knives for Stiga Stig, 12 pcs	3Y	20
124	7350076761248	Knife for Robomow RX model	3Y	10
125	7350076761255	Knife for Robomow RC/RS/TS/MS	3Y	10
126	7350076761262	Knives for Robomow RK, 12 pcs	3Y	20
127	7350076761279	Knife for Stihl/Viking Mi 4, 20 cm	3Y	10
1126	7333272011263	Knives for Stihl/Viking Mi 4, 20 cm, 100 pcs (bulk)	3Y	1
129	7350076761293	Knife for Stihl/Viking Mi 6, 28 cm	3Y	10
1128	7333272011287	Knife for Stihl/Viking Mi 6, 28 cm, 100 pcs (bulk)	3Y	1
1130	7333272011300	Knives for Stihl/Viking RMI 600 series, 30cm, 1 pc	3Y	10
1132	7333272011324	Knives for Stihl/Viking RMI 600 series, 30cm, 100 pcs	3Y	1
1140	7333272011409	Knivar för AL-KO Robolino (E models), 9 pcs	3Y	20
1145	7333272011454	Knivar för AL-KO Robolino (100, 1100...), 9 pcs	3Y	20

# TEMPORARY FENCE FOR ROBOT MOWERS

The robot fence is easily assembled by attaching the frames to each other with the included fastening clips. Assembly instructions included. The frames are galvanized and maintain high corrosion resistance over time.

**NEW**

**3Y**

GRIMSHOLM  
EXTENDED  
WARRANTY



## ROBOT MOWER FENCE


Protect an area with sturdy steel arches

- Easy to use
- No need for adjusting installation
- High corrosion resistance



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
6538	7333272065389	Robot mower fence	3Y	5

# SIGNAL CABLES



## PREMIUM

TC

### MATERIAL

Conductor: Tinned copper  
Insulation: Grimsholm® HDPE

### SPECIFICATION

Conductor area: 0.933 mm <sup>2</sup>	Resistance per 500 m: 9.4 Ohm
Number of conductors: 19 pcs	Outer diameter: 2.45 mm
Insulation thickness: 0.6 mm	

## PREMIUM PLUS

TC

### MATERIAL

Conductor: Tinned copper  
Insulation: Grimsholm® HDPE

### SPECIFICATION

Conductor area: 0.933 mm <sup>2</sup>	Resistance per 500 m: 9.4 Ohm
Number of conductors: 19 pcs	Outer diameter: 3.45 mm
Insulation thickness: 1.1 mm	

## PREMIUM HD

TC

### MATERIAL

Conductor: Tinned copper  
Insulation: Grimsholm® HDPE

### SPECIFICATION

Conductor area: 1.424 mm <sup>2</sup>	Resistance per 500 m: 6.1 Ohm
Number of conductors: 29 pcs	Outer diameter: 3.45 mm
Insulation thickness: 1 mm	

## PREMIUM RODENT RESIST

TC

### MATERIAL

Conductor: Tinned copper  
Insulation: Grimsholm® HDPE + TPE

### SPECIFICATION

Conductor area: 1.424 mm <sup>2</sup>	mm
Number of conductors: 29 pcs	Resistance per 500 m: 6.1 Ohm
Insulation thickness: 0.5 mm + 0.5	Outer diameter: 3.45 mm

## EURO STANDARD

TCCA

### MATERIAL

Conductor: Tinned copper clad aluminum  
Insulation: Grimsholm® HDPE

### SPECIFICATION

Conductor area: 1.424 mm <sup>2</sup>	Resistance per 500 m: 9.4 Ohm
Number of conductors: 29 pcs	Outer diameter: 2.7 mm
Insulation thickness: 0.6 mm	

## EURO STANDARD PLUS

TCCA

### MATERIAL

Conductor: Tinned copper clad aluminum  
Insulation: Grimsholm® HDPE

### SPECIFICATION

Conductor area: 1.424 mm <sup>2</sup>	Resistance per 500 m: 9.4 Ohm
Number of conductors: 29 pcs	Outer diameter: 3.45 mm
Insulation thickness: 1 mm	

# COPPER OR ALUMINUM WHAT TO CHOOSE FOR MY INSTALLATION?

The most frequently asked cable question from our customers.

## TC - THE PROFESSIONAL'S CHOICE



**TC (Tinned Copper)** is the **Premium** alternative offering many years of hassle-free robot mower installation. Forced weather tests of Grimsholm TC cable with the special composed HDPE formula with extraordinary high density have shown life span of **20+ years with a 10 year warranty** following the product.

Even during wear and tear and if the insulation gets damaged the TC cable is much more resistant for corrosion and oxidation compared with an TCCA cable.


All Grimsholm TC cables (Premium) does follow the **GB/T 4910-2009** standard with 99.97% Oxygen-free copper purity inside.

To ensure the cable's compliance with specification, we cooperate with the Research Institutes of Sweden (RISE).

GRIMSHOLM  
HDPE FORMULA

HIGH QUALITY  
COPPER CORE  
CONDUCTOR

PROTECTIVE TIN



## TCCA - THE BUDGET CHOICE



**TCCA (Tinned Copper Clad Aluminum)** is the low price/budget alternative. The expected life span for a TCCA cable with LLDPE, LDPE or PE insulation which is not exposed to external wear and tear is often 2-4 years. With Grimsholm HDPE higher density insulation formula, the expected lifetime is about **4-6 years with a 3 year warranty**.

There is a tough climate in the ground and an aluminum cable is good when they are new, but sometimes problems show up after the cable has been used for a while. Especially in the cases of the insulation getting damaged due to external factors.

The conductivity in a TCCA cable is significantly lower than a TC cable with the same conductor area, therefore the TCCA cables are often made thicker to be able to carry the robot mower signal. And very often the thick TCCA cables are offered as HEAVY DUTY or PREMIUM by suppliers which makes it even more difficult for the consumer. Here, your expertise as a professional Grimsholm® retailer, being able to inform accurately and correctly makes it easier for the consumer to make a conscious choice.

The Grimsholm TCCA cables does follow the **ASTM-B566 CCA – 10A** standard with 10% Oxygen-free copper calculated by volume (appr 36% copper by weight). The **Euro Standard** and **Euro Standard Plus** cables from Grimsholm are best sellers in the low price retail stores.

## PREMIUM



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
130	7350076761309	Signal cable Premium, 25 m	10Y	12
131	7350076761316	Signal cable Premium, 50 m	10Y	12
133	7350076761330	Signal cable Premium, 100 m	10Y	12
135	7350076761354	Signal cable Premium, 200 m	10Y	6
139	7350076761392	Signal cable Premium, 500 m	10Y	4
140	7350076761408	Signal cable Premium, 1000 m	10Y	1

## PREMIUM PLUS



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
2248	7333272022481	Signal cable Premium Plus, 200 m	10Y	4
2252	7333272022528	Signal cable Premium Plus, 500 m	10Y	2
2255	7333272022559	Signal cable Premium Plus, 700 m	10Y	1

## PREMIUM HD

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
142	7350076761422	Signal cable Premium HD, 700 m	10Y	1

## PREMIUM RODENT RESIST

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
2265	7333272022658	Signal cable Premium Rodent Resist, 700 m	10Y	1

## EURO STANDARD & EURO STANDARD PLUS



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
145	7350076761453	Signal cable Euro Standard, 200 m	3Y	4
146	7350076761460	Signal cable Euro Standard, 500 m	3Y	2
148	7350076761484	Signal cable Euro Standard, 800 m	3Y	1
NEW 2268	7333272022689	Signal cable Euro Standard Plus (3.45 mm), 200 m	3Y	4
NEW 2272	7333272022726	Signal cable Euro Standard Plus (3.45 mm), 500 m	3Y	2
NEW 2275	7333272022757	Signal cable Euro Standard Plus (3.45 mm), 800 m	3Y	1

# SIGNAL CABLE TRACKER

Grimsholm's signal cable trackers helps the robot owner to find faults.

The trackers comes with an easy step-by-step user manual on how to find the cable break.



## CASE AND BATTERIES INCLUDED

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
411	7350076764119	Signal cable tracker MS6812	1Y	5 pcs
415	7350076764157	Signal cable tracker MS6818	3Y	5 pcs

# SIGNAL CABLE SPIKES

## THE BIO SPIKE




Grimsholm® is making the robot mower installations more environmentally friendly with fully degradable spikes made of hemp fibers produced at European farms.



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
151	7350076761514	Signal cable spikes (recycled PP), 100 pcs	3Y	10
152	7350076761521	Signal cable spikes (recycled PP), 2,000 pcs (bulk)	3Y	1
155	7350076761552	Signal cable spikes Bio, 100 pcs	3Y	10

# INSTALLATION KITS FOR ROBOTIC LAWMOWERS

Watch the Grimsholm® installation kit video at [www.grimsholm.com](http://www.grimsholm.com)



Give your robot the best conditions for the job



320

## MEDIUM INSTALLATION KIT FOR ROBOTIC LAWMOWERS

SUITABLE FOR 800-2,000 m<sup>2</sup>

- 200 m Signal cable (art. 135)
- 300 pcs Signal cable spikes (3 x art 151)
- 4 pcs Joint couplings (art. 171)
- 4 pcs Connection plugs (art. 181)



330

## LARGE INSTALLATION KIT FOR ROBOTIC LAWMOWERS


SUITABLE FOR 2,000-6,000 m<sup>2</sup>

- 500 m Signal cable (art. 139)
- 700 pcs Signal cable spikes (7 x art. 151)
- 4 pcs Joint couplings (art. 171)
- 4 pcs Connection plugs (art. 181)

All of our repair and installation packages includes Grimsholm's Premium copper core cable.

## Tinned copper core High quality HDPE insulation

For further questions about suitable signal cable selections for specific installations, we can provide data about different cable configurations.



## REPAIR KITS WHEN THE SIGNAL CABLE NEEDS TO BE REPAIRED.



305

### SIGNAL CABLE REPAIR KIT

- 5 m Signal cable
- 15 pcs Signal cable spikes
- 3 pcs Joint couplings
- 3 pcs Connection plugs



310

### SIGNAL CABLE REPAIR KIT

- 50 m Signal cable (art. 131)
- 100 pcs Signal cable spikes (art. 151)
- 4 pcs Joint couplings (art. 171)
- 4 pcs Connection plugs (art. 181)

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
305	7350076763051	Repair kit for signal cable, 5 m	<10Y*	10 pcs
310	7350076763105	Reparationskit för signalkabel, 50 m	<10Y*	4 pcs
320	7350076763204	Installation kit M for robot mowers (200 m)	<10Y*	4 pcs
330	7350076763303	Installation kit L for robot mowers (500 m)	<10Y*	2 pcs

\* 10-year warranty on the signal cable. 3-year warranty on other components.

# LIGHTNING PROTECTOR

## PROTECTS YOUR ROBOT MOWER FROM LIGHTNING STRIKE TRANSIENTS

The lightning protector from Grimsholm® leads the high voltage transient from lightning to a grounded point. It protects sensitive electronics in the robot mower as well as in the charging station.

### LIGHTNING PROTECTOR

Reliable lightning protection

- Tested in Swedish lightning laboratory
- Large steel plate for excellent grounding
- Completely weatherproof


The lightning protection does not affect the normal functions of the charging station or lawn mower. It is activated only when the lightning can damage sensitive electronics.

The lightning protector is available in two versions:

- Single, for perimeter wire + up to 1 guides
- Double, for perimeter wire + up to 3 guides

#### NOTE!

This product is protecting the robot mower and charging station from being damaged by indirect lightning strikes causing transients that often are caught up by the robot mower signal cable. The product does not protect the robot mower nor the charging station from direct lightning strike hits.



# Folksam

Folksam is one of the Grimsholm® retailers as well as one of the the largest insurance companies in Sweden.

**"Folksam has for several years examined lightning strikes at households in Sweden and in the latest annual thunder report we clearly see a strong increase in robotic lawnmowers being affected.**

In 2013, only 2.6% of the households which received lightning strikes was connected to robotic lawnmowers and in 2020 the same figure was as high as 39.3%.

The trend is very strong and soon half of all strikes will affect the robotic lawnmower. We at Folksam therefore recommend all households who have a robotic lawnmower in the garden to review both protection and insurance"

Erik Arvidsson  
Damage Prevention, Housing  
Folksam



**100% weather-proof** and inaccessible to insects that prefer to live in boxes and cavities. The cables are UV-protected to withstand the sun and all metal parts are made from weather resistant steel.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
4030	7333272040300	Lightning protector for robot mower signal cable - single	3Y	5
4035	7333272040355	Lightning protector for robot mower signal cable - double	3Y	5





# ACCESSORIES

## FOR THE ROBOT MOWER



### HEAT SHRINK JOINT COUPLINGS

With Grimsholm® heat shrink joint coupling you can make **waterproof joints in your robot installation**. With solder that melts and creates a secure connection combined with double glue ring seals on each side of the connection, both good connectivity and high insulation against moisture are provided.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
161	7350076761613	Heat shrink joint coupling, 4 pcs	10Y	40
165	7350076761651	Heat shrink joint coupling, 50 pcs	10Y	1



### HEAT SHRINK JOINT COUPLINGS LONG

With Grimsholm® heat shrink joint coupling, you can make **waterproof joints in your robot installation**. The splice coupling contains a 200mm long extension with Premium HD cable which is the highest quality level of cable from Grimsholm®.

This in combination with its waterproof properties makes the coupling both easy to use, as **it replaces a damaged part of the existing signal cable up to 200 mm long, as well as enabling a connection with minimal resistance.**

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
163	7350076761651	Heat shrink joint coupling, long, 4 pcs	10Y	40
168	7350076761682	Heat shrink joint coupling, long, 50 pcs	10Y	1

### JOINT COUPLING

EASY CONNECT 3-WAY  
Fits all robot mower signal cables

- Designed sealing technique
- Moisture resistant
- Great conductivity

**BEST SELLER**



**NEW DESIGN**



Watch the video about Grimsholm® couplings at [www.grimsholm.com](http://www.grimsholm.com)

### JOINT COUPLINGS

The Grimsholm® joint coupling is the **only joint coupling on the market that is exclusively designed to work optimally for robot lawn mower installations**. Inserting a cable from each side of the coupling and the fact that the coupling is oblong, it is usually sufficient to use just one coupling when you splice a cable that has broken off in the ground.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
171	7350076761712	Joint coupling, 4 pcs	3Y	40 pcs
175	7350076761750	Joint coupling, 50 pcs	3Y	1 pcs



### 3M JOINT COUPLING

Universal joint coupling 3M Scotchlok 314 suitable for robot mower installations.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
205	7350076762054	Joint coupling 3M Scotchlok 314, 4 pcs	3Y	40
215	7350076762153	Joint coupling 3M Scotchlok 314, 50 pcs	3Y	1
217	7350076762177	Joint coupling 3M Scotchlok 314, 1000 pcs	3Y	1



### CHARGING STATION CONNECTOR

The connector is used to connect the signal cable to the robotic lawnmower's charging station. The connector fits a large number of brands available on the market such as Husqvarna Automower, Gardena, Worx, Stiga, Viking, etc. Now made of nylon for increased durability and a longer service life.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
181	7350076761811	Cable connector for Automower, 4 pcs	3Y	40
185	7350076761859	Cable connector for Automower, 50 pcs	3Y	1



### CHARGING STATION CONNECTOR

The connector is used to connect the signal cable to the robotic lawnmower's charging station. Primarily used for robot mowers from Robomow, WOLF-Garten and Cub Cadet.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
191	7350076761910	Joint coupling, 4 pcs	3Y	40
195	7350076761958	Joint coupling, 50 pcs	3Y	1

## GROUND SCREW FOR CHARGING STATION FITS HUSQVARNA AUTOMOWER AND OTHERS

Longer screws, giving better grip when installing robot mower charging station. The screw is designed to fit Husqvarna Automower, Gardena and McCulloch but may also fit many other brands of robotic mowers.

### GROUND SCREW

DURABLE WITH A STRONG GRIP  
For Husqvarna Automower, Gardena, Mc Culloch and others

- Longer model
- Stabilizes the charging station
- Tested in nordic climate



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
548	7350076765482	Ground screw for Automower, Gardena and others, 8 pcs	3Y	20



### NIMH BATTERY FOR HUSQVARNA AUTOMOWER, 3000 MAH

Long life battery built of quality cells. Tested with outstanding results in Nordic conditions.

Fits:

- Automower 210C, 220AC, 230ACX, 260ACX, Solar Hybrid, SH, G2 2004-2006
- Gardena R160


ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
231	7350076762313	Automower NiMh battery, 3000 Nimh	1Y	10



# ROBOT MOWER GARAGE

## PROTECTS THE ROBOT FROM UV RADIATION AND RAIN

The Grimsholm Magnelis Classic garage creates a long lasting protective environment for the robot. This garage made of the Magnelis steel material are offered with a 10Y warranty.



### DIMENSIONS OF THE INSTALLED GARAGE

WIDTH 630 mm  
LENGTH: 750 mm  
HIGHEST POINT: 465 mm



### DIMENSIONS OF THE PACKAGED GARAGE

WIDTH 630 mm  
LENGTH: 750 mm  
HEIGHT: 110 mm

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
541	7350076765413	Robotgarage Grimsholm Magnelis Classic	10Y	2

# WALL HANGER

## FREES UP SPACE IN THE GARAGE

Provides solutions to save space when you store the robot mower during winter. By hanging both robot and charging station together it frees up valuable floor space while also reducing the risk of the robot being damaged during winter storage. And even better - the mower is charged meanwhile you store it to ensure the battery keeps it's condition for next season.

### WALL HANGER

for Husqvarna Automower 310/315 (2015-) and Gardena Sileno



### WALL HANGER

for Husqvarna Automower 320 / 330X / 420 / 430 ...



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
4060	7333272040607	Wall hanger for Husqvarna Automower 320, 330x, 420, 430 and others	10Y	3
4061	7333272040614	Wall hanger for Husqvarna Automower 310/315 (2015-) and Gardena Sileno	10Y	3
4062	7333272040621	Wall hanger for Husqvarna Automower 305, 405X, 415X	10Y	3
NEW 4063	7333272040638	Robot wall hanger for Gardena Sileno Minimo & City, McCulloch S400/S600 & Flymo	10Y	3
NEW 4064	7333272040645	Robot wall hanger for Gardena Sileno Life	10Y	3
NEW 4067	7333272040676	Robot wall hanger for Stiga Stig 300/600/1200/A1500/A3000/A5000	10Y	3
NEW 4068	7333272040683	Robot wall hanger for Einhell GC-RM 500 / Freflexo 600/900	10Y	3

# ROBOT MOWER RING


## DESIGN PRODUCTS MAKING GARDENING EASY

The Grimsholm® Robot Mower Ring creates an edge in level with the lawn to make it easy for the lawnmower cutting the edge of the lawn. This way, the need for edge trimming around trees and other objects is significantly reduced.

### ROBOT MOWER RING

CLEAN EDGES  
Easy mounting without need of tools

- High quality Swedish steel
- 10 year Warranty
- Three sizes & three colors



**ZINC** Magnelis steel which provides an extraordinary corrosion protection.

**CORTEN** Slow corroding steel turning into a rust patina over time.

**DARK GRAPHITE** Magnelis steel which is painted dark gray.



### ROBOT MOWER RING 30/60CM



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
6505	7333272065051	Robot mower ring 30/60 cm, dark graphite	10Y	3 pcs
6507	7333272065075	Robot mower ring 30/60 cm, corten	10Y	3 pcs
6509	7333272065099	Robot mower ring 30/60 cm, zink	10Y	3 pcs

### ROBOT MOWER RING 60/90CM




ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
6511	7333272065112	Robot mower ring 60/90 cm, dark graphite	10Y	3 pcs
6513	7333272065136	Robot mower ring 60/90 cm, corten	10Y	3 pcs
6515	7333272065150	Robot mower ring g 60/90 cm, zink	10Y	3 pcs

### ROBOT MOWER RING 90/120CM

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
6519	7333272065198	Robot mower ring 90/120 cm, dark graphite	10Y	3 pcs
6521	7333272065211	Robot mower ring 90/120 cm, corten	10Y	3 pcs
6523	7333272065235	Robot mower ring 90/120 cm, zink	10Y	3 pcs

# ROBOT MOWER EDGE

## LESS NEED OF EDGE TRIMMING



The Robot Mower Edge "lifts" the grass and by doing so makes it easier for the robotic lawnmower to cut the grass instead of pressing it down over the edge tiles.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
501	7350076765017	Robot Mower Edge 5x1 m	3Y	10 pcs



# HYBRID GRASS

## GIVES THE LAWN A FIGHTING CHANCE


The hybrid grass allows the natural grass to regrow where the lawn has been worn down. Not least on uphill and around the robot lawn mower charging station. Get a perfect lawn even in difficult and slippery areas.

### HYBRID GRASS 1x1 m

BESTSELLER 2022

Restore and protect the lawn

- Better grip for your robot lawn mower
- Protects lawn from wear and tear
- Quickly restores the grass



**BEST  
SELLER**

# HYBRID GRASS

## GIVES THE LAWN A FIGHTING CHANCE


**NEW**

### HYBRID GRASS 1x25 m


FOR BIG AREAS

Restore and protect the lawn

- Better grip for your robot lawn mower
- Protects lawn from wear and tear
- Quickly restores the grass



Example use to protect the lawn around the robot mower charging station



#### Natural grass

Above ground the natural grass grows in the net of artificial grass well protected from wear and tear.

#### Hybrid grass (artificial)

Made of recycled material.

#### Natural root system

By supporting loose ground, the hybrid grass product allows the regeneration process of the root system to start.

Providing a reinforcing geotextile, our Hybrid grass supports both above and below ground. With this protection the grass starts a process of regeneration. By supporting loose ground, the grass grows a healthier and a less compact deep root structure.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
570	7350076765703	Hybrid grass Premium, 1x1 m including fastening nails	3Y	5
NEW 572	7350076765727	Hybrid grass Premium, 1x25 m including fastening nails	3Y	1



# WATER & WASH

## IN-STORE CONCEPT EXCELLENCE

### BUILD THE SHOPPING EXPERIENCE WITH GRIMSHOLM

for a high quality feeling and top selling result.

- Basic assortment of the best selling irrigation articles
- Wide assortment of garden hoses - from Basic to Expert.
- Up to life-time warranty on selected articles.
- On-screen shopping experience available for upsales!



When building the new Grimsholm® Water & Wash assortment the focus has been on the overall concept feeling as well as the small details in each product. The best materials have been choosed, UV stabilizers have been optimized and the steel details are mostly stainless.

The user experience excellence is well thought out and reflects the same sense of quality that is expected from all Grimsholm® branded products.



# COUPLINGS & ADAPTERS

The coupling and adapter range from Grimsholm is easy to use and offers a high-end user experience for many years. Strong materials, extraordinary UV stability and high-end silica material in the O-rings for with less risk for water leakage.

100%  
COMPABILITY  
WITH OTHER  
BRANDS

## COUPLINGS

1/2" Standard and Water-Stop

- Stainless steel springs inside
- 3 year Warranty
- Extraordinary UV stabilized



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31010	7333272310106	Hose connector, 1/2"	3Y	40 pcs
31015	7333272310151	Hose connector water stop, 1/2"	3Y	40 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31060	7333272310601	Water ON/OFF coupling	3Y	24 pcs
31005	7333272310052	Tap adapter, 1/2" 3/4"	3Y	40 pcs
31020	7333272310205	Hose mender, 1/2"	3Y	40 pcs
31025	7333272310250	2-way hose coupling	3Y	40 pcs
31027	7333272310274	3-way hose coupling	3Y	40 pcs

# ON/OFF TAP ADAPTERS



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31063	7333272310632	2-Way ON/OFF tap adapter	3Y	12 pcs
31064	7333272310649	4-Way ON/OFF tap adapter	3Y	6 pcs

# SPRAY NOZZLE AND KIT



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31030	7333272310304	Spray nozzle	3Y	24 pcs
31035	7333272310359	Hose coupling set	3Y	12 pcs



# SPRAY GUNS & WATER WANDS

Choose between several models - each with different functions and design.

With user friendliness in focus and with the help of carefully selected materials, protected by the most effective UV stabilizers, the range of spray guns from Grimsholm® cover all needs no matter if washing the car or watering the vegetables.



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31044	7333272310441	Spray gun Jet Metal	3Y	12 pcs
31045	7333272310458	Spray gun Multi Metal	3Y	6 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31038	7333272310380	Spray gun Jet One-click	3Y	12 pcs
31039	7333272310397	Spray gun Multi One-click	3Y	6 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31047	7333272310472	Spray gun Jet Thumb control	3Y	12 pcs
31048	7333272310489	Spray gun Multi Thumb control	3Y	6 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31041	7333272310410	Spray gun Jet Tech	3Y	12 pcs
31042	7333272310427	Spray gun Multi Tech	3Y	6 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31054	7333272310540	Water wand Multi, 50 cm	3Y	12 pcs
31055	7333272310557	Water wand Multi, 95-140 cm	3Y	12 pcs





# WATER TIMERS

## TIMER DIGITAL CLASSIC

Easy programming

- Frequency 1h - 1 week
- Run time 1-120 min
- Rain delay
- Manual on/off



31120

Digital timer with easy programming using turning knobs even with gloves or wet hands.

2 pcs of AA batteries included.

## TIMER DIGITAL LCD

Large screen and 30 programs

- 2-way with individual settings
- Pre-set 30 programs
- Run time 1-360 min
- Rain delay
- Manual on/off
- Battery status indicator



31122

With the large LCD screen and easy setting of watering needs this programmable timer gives the user a lot of possibilities as well as good overview over the settings done.

2 pcs of AA batteries following the product.

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31120	7333272311202	Timer Digital Classic	3Y	6 pcs
31122	7333272311226	Timer Digital LCD	3Y	6 pcs

# SMART HOME & GARDEN




## MATTER IS THE NEW STANDARD

Several of the worlds largest brands within IoT for the Smart Home has since several years been working on the new Matter standard was released late 2022. This new standard will be a complete game changer for the IoT industry as it will be much easier for the end consumer to buy IoT from different brands using them together in the same echo system.

## NOW - LET'S CONNECT THE GARDEN AS WELL!

Early 2022 Grimsholm announced it's participation in the Connective Standard Alliance with the ambition to be the leader of connecting the Smart Home with the Smart Garden.



Let Grimsholm build your retail branded app or use the standard Grimsholm app.



"Grimsholm is a great addition to the Alliance. Now, Matter's value can be extended, using the mesh network, from the home throughout the yard and garden. And as a fast-growing European garden retail brand, we are excited to have Grimsholm's unique perspectives on Matter's use in yet another new environment."

**Chris LaPre, Head of Technology for Connectivity Standards Alliance.**



# SPRINKLERS



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31100	7333272311004	Sprinkler Classic Square	3Y	6 pcs
31105	7333272311059	Sprinkler Adjustable Square	3Y	6 pcs
31110	7333272311103	Sprinkler Mini Square	3Y	6 pcs
31112	7333272311127	Sprinkler Rotate	3Y	6 pcs
31113	7333272311134	Sprinkler Rotate spear	3Y	6 pcs

# HOSES - CLASSIC 1/2"



**CLASSIC**  
THE COST COMPETITIVE CHOICE

- 3 layer
- 25 bar
- UV resistant
- 15Y warranty

# COIL HOSE SET

- Easy storage
- 25 bar
- 15 meter
- Anti-algae
- Set with couplings and spray gun
- 3Y Grimsholm Extended Warranty



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31090	7333272310908	Coil hose set, 15 m	3Y	12 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31068	7333272310687	Garden hose Classic, 10 m	15Y	2 pcs
31070	7333272310700	Garden hose Classic, 20 m	15Y	2 pcs
31072	7333272310724	Garden hose Classic, 40 m	15Y	2 pcs



# HOSES - PREMIUM 1/2"

# HOSES - PROFESSIONAL 1/2"



**25Y**  
GRIMSHOLM  
EXTENDED  
WARRANTY

- 4 LAYERS
- 20°C +60°C
- UV
- ANTI TWIST
- ANTI ALGAE



**LIFETIME**  
GRIMSHOLM  
EXTENDED  
WARRANTY

- 5 LAYERS
- 25°C +60°C
- UV
- ANTI TWIST
- ANTI ALGAE
- ANTI CHOKE

## PREMIUM

HIGH QUALITY AND LONG LIFE SPAN

- 4 layer
- 25 bar
- UV resistant
- 25Y warranty
- Anti twist
- Anti algae
- Ultra flex
- Frost resistant



## PROFESSIONAL

ULTRA STRONG WITH LIFETIME WARRANTY

- 5 layer
- 35 bar
- UV resistant
- Lifetime warranty
- Anti twist
- Anti algae
- Ultra flex
- Frost resistant



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31075	7333272310755	Garden hose Premium, 20 m	25Y	2 pcs
31077	7333272310779	Garden hose Premium, 40 m	25Y	2 pcs

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31080	7333272310809	Garden hose Professional, 20 m	Lifetime	2 pcs
31082	7333272310823	Garden hose Professional, 40 m	Lifetime	2 pcs

# HOSE CARTS

## WITH TUBES MADE OF EUROPEAN STAINLESS STEEL

- SS 316 stainless steel tubes - only
- With or without hose and coupling kit
- Excellent weight balance
- 3-10Y Grimsholm Extended Warranty
- Improved UV resistance formula
- Stainless steel mounting screws



## HOSE CART CLASSIC WHEEL

## HOSE CART CLASSIC HANDY



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31093	7333272310939	Hose cart Classic Handy	3Y	5 pcs
31094	7333272310946	Hose cart Classic Handy set (with 20 m Classic Hose + couplings)	3Y	1 pc
31095	7333272310953	Hose cart Classic Wheel	3Y	5 pcs
31096	7333272310960	Hose cart Classic Wheel set (with 20 m Classic Hose + couplings)	3Y	1 pc

# HOSE CARTS

## HOSE CART PREMIUM



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
31097	7333272310977	Hose cart Premium	10Y	5 pcs
31098	7333272310984	Hose cart Premium set, (with 30 m Premium Hose + couplings)	10Y	1 pc





The Grimsholm administration and sales site in Falkenberg, Sweden seen from the railway station.



# GRIMSHOLM LABORATORIES

Securing the highest available quality in garden and forestry products

**Our team of dedicated product developers works closely with our in-house laboratory as well as external laboratories and organisations to ensure that the products keeps the highest available quality.**

Our internal laboratory is equipped with the latest and most advanced equipment for testing areas that our products are in need of such as UV testing, material strength, material composition

and weather force testing to withstand the European climate from northern Sweden to the warmer climate in southern Europe.

Except our internal laboratory we do work close with external laboratories and organisation for material and standard development and compliance to ensure we are making following standards and maximizing the quality of the products we puts on the market.

Partners for product development



Research Institutes of Sweden



# TRIMMER LINE & BRUSH CUTTERS



## TRIMMER LINE HIGH QUALITY, CLEAN CUTS

Grimsholm® trimmer line is made of high quality European nylon with optimized properties for durability combined with quiet operation. To make it easy for the consumer the trimmer line is color coded according to the international standard.

HIGH  
QUALITY  
NYLON



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
601	7350076766014	Trimmer line, round, blue, 1.6mm, 35 m	3Y	40 pcs
605	7350076766052	Trimmer line, round, green, 2.0mm, 35 m	3Y	40 pcs
607	7350076766052	Trimmer line, round, orange, 2.4mm, 35 m	3Y	40 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
611	7350076766113	Trimmer line, star, orange, 2.4mm, 80 m	3Y	20 pcs
615	7350076766151	Trimmer line, star, red, 2.7mm, 70 m	3Y	20 pcs
619	7350076766199	Trimmer line, star, yellow, 3.0mm, 60 m	3Y	20 pcs
623	7350076766236	Trimmer line, star, black, 3.3mm, 50 m	3Y	20 pcs



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
634	7350076766342	Trimmer line, star, yellow, 3.0mm, 250 m	3Y	4 pcs
636	7350076766366	Trimmer line, star, black, 3.3mm, 200 m	3Y	4 pcs

# BRUSH CUTTER BLADES

Designed for coarse, woody vegetation

- Balanced for high RPM
- Fits most existing brush cutters
- High precision grinding

**NEW  
DESIGN**



The brush cutter blades from Grimsholm is available in two versions:

2.0 mm blades suitable for all users as it does not need to be set up or sharpened as often due to its thickness. Accordingly, maintenance on this blade is minimal.

1.6 mm blades are praised by professional users who work all day long with their brush cutter. A lightweight blade with excellent balance and durability.




ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
<b>25,4 mm (1")</b>				
641	7350076766410	Brush cutter blade, 3T, 2 mm / 255 mm / 25.4 mm (1")	3Y	10
644	7350076766441	Brush cutter blade, 24T, 1.6 mm / 200 mm / 25.4 mm (1")	3Y	10
645	7350076766458	Brush cutter blade, 24T, 2 mm / 200 mm / 25.4 mm (1")	3Y	10
646	7350076766465	Brush cutter blade, 24T, 1.6 mm / 225 mm / 25.4 mm (1")	3Y	10
647	7350076766472	Brush cutter blade, 24T, 2 mm / 225 mm / 25.4 mm (1")	3Y	10
<b>NEW 20 mm</b>				
661	7350076766618	Brush cutter blade, 3T, 2 mm / 255 mm / 20 mm	3Y	10
664	7350076766649	Brush cutter blade, 24T, 1.6 mm / 200 mm / 20 mm	3Y	10
665	7350076766656	Brush cutter blade, 24T, 2 mm / 200 mm / 20 mm	3Y	10
666	7350076766663	Brush cutter blade, 24T, 1.6 mm / 225 mm / 20 mm	3Y	10
667	7350076766670	Brush cutter blade, 24T, 2 mm / 225 mm / 20 mm	3Y	10



# SPARK PLUG

## MATERIAL AND PRODUCTION TECHNOLOGY EXCELLENCE

Spark plugs from Grimsholm® for garden, forest and leisure equipment. Developed to cope with the large variations in temperature that often occurs in the Nordic climate.



TESTED IN NORDIC CLIMATE

## SPARK PLUGS

Having a broad assortment with one of the markets best prices all while holding a good quality and pushing for better innovations. This is the Grimsholm® way and that includes our spark plugs.

### TRACTOR

	ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
2.	50764	7333272507643	F7RTC (lawnmower/tractor, resistor), 1 pc	3Y	20
	50778	7333272507780	F7RTC (lawnmower/tractor, resistor), 10 pcs	3Y	10
4.	50768	7333272507681	K6RTC (lawnmower/tractor, resistor), 1 pc	3Y	20
NEW	50782	7333272507827	K6RTC (lawnmower/tractor, resistor), 10 pc	3Y	10

### MOPED/OUTBOARD

	ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
7.	50765	7333272507650	E9C (moped/outboard, no resistor), 1 pc	3Y	20
	50779	7333272507797	E9C (moped/outboard, no resistor), 10 pc	3Y	10

### MOTORCYCLE

	ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
8.	50766	7333272507667	E6TC (motorbike, no resistor), 1 pc	3Y	20
	50780	7333272507803	E6TC (motorbike, no resistor), 10 pcs	3Y	10

### SNOWBLOWER

	ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
3.	50767	7333272507674	GL3RC (snowblower/lawnmower, resistor) 1 pc	3Y	20
	50781	7333272507810	GL3RC (snowblower/lawnmower, resistor) 10 pcs	3Y	10



### LAWNMOWER

	ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
1.	50762	7333272507629	F5RTC (lawnmower, resistor), 1 pc	3Y	20
	50776	7333272507766	F5RTC (lawnmower, resistor), 10 pcs	3Y	10
2.	50764	7333272507643	F7RTC (lawnmower/tractor, resistor), 1 pc	3Y	20
	50778	7333272507780	F7RTC (lawnmower/tractor, resistor), 10 pcs	3Y	10
3.	50767	7333272507674	GL3RC (snowblower/lawnmower, resistor), 1 pc	3Y	20
	50781	7333272507810	GL3RC (snowblower/lawnmower, resistor), 10 pcs	3Y	10
4.	50768	7333272507681	K6RTC (lawnmower/tractor, resistor), 1 pc	3Y	20
NEW	50782	7333272507827	K6RTC (lawnmower/tractor, resistor), 10 pc	3Y	10

### CHAINSAW/TRIMMER

	ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
5.	50761	7333272507612	L8RTC (chainsaw/trimmer, resistor), 1 pc	3Y	20
	50775	7333272507759	L8RTC (chainsaw/trimmer, resistor), 10 pcs	3Y	10
6.	50763	7333272507636	L7TC (chainsaw/trimmer, no resistor), 1 pc	3Y	20
	50777	7333272507773	L7TC (chainsaw/trimmer, no resistor), 10 pcs	3Y	10

#### 1. F5RTC replaces:

**NGK** BPR5ES, NGK V-line-6  
**Champion** 322, 404, 8405, N13L, N14LY, N8L, OE004/R04, OE004/T10, OE006/R04, OE006/T10, OE042, OE042/T10, OE045/T10, OE051/T10, OE156/T10, ON11Y, ON12Y, R44CXLS, RN11Y, RN11YC, RN11YC4, RN11YCC, RN12Y, RN12YC, RN12YCC, RN13L, RN13LYC, RN14LY, RN14Y, RN8L, RN9YC, RN9YCC

#### 2. F7RTC replaces:

**NGK** BPR7ES, V-line-19  
**Champion** 332, 8332, OE008/R04, OE008/T10, OE018, OE018/R04, OE018/T10, OE091, RN2C, RN7Y, RN7YC, RN7YCC, RN9YC  
**Bosch** W225TR30, WR5D, WR5DC, WR5DP

#### 3. GL3RC replaces:

**NGK** 5798, BR2-LM, BR2LM, BR2LM-VP1, BR2LMVP1, stk 5798  
**Champion** RJ19LM  
**Bosch** 0242215502, 0242215801, WR11EO, WR11EO

#### 4. K6RTC replaces:

**NGK** BKR5E, BCPR5ES  
**Champion** RC12YC  
**Bosch** FR8DC

#### 5. L8RTC replaces:

**NGK** BPMR7A  
**Champion** RCJ7Y  
**Bosch** WSR6F

#### 6. L7TC replaces:

**NGK** BPM7A  
**Champion** 858, CJ6Y, CJ7Y  
**Bosch** WKA225T6, WS5F

#### 7. E9C replaces:

**NGK** B9HS, B9HCS  
**Champion** QL55  
**Bosch** W260M22, W260T2, W275T2, W280M22, W2A, W2AC, W300T1, W3C, W3CC, W3CO, W3CP

#### 8. E6TC replaces:

**NGK** BP6HS  
**Champion** 312, L66Y, L82Y, L82YC, L82YCC, L85Y, L87Y, L87YC, L87YCC, L92YC, OE007, OE007/T10, OE038/T10  
**Bosch** W175T35, W175T7, W200T35, W6B, W6BC, W6BP, W7B, W7BC, W7BP



# FUEL & LUBRICATION

## GRIMSHOLM PREMIUM ALKYLATE IS A SUCCESS STORY SINCE THE START




Today, Grimsholm Alkylate is one of the most known Alkylate products in the Nordic and central Europe areas. The high and consistent quality of the fuel has also made it very popular for racing and the Swedish champion Norton Andreasson is both training and competing with Grimsholm fuel.

The oil in Grimsholm Premium Alkylate is fully synthetic and degradable and TC-W3 approved by NMMA (National Marine Manufacturers Association) with number RL 91506H and is therefore one of the few on the market that meets the requirements for e.g. API TC+, Husqvarna 266 and SS 15 54 61

Grimsholm produces more than 3 million liters per year delivered in time to more than 1000 retail stores and professional users. Home-improvement retail and specialty stores normally combine Grimsholm Premium Alkylate stand with Grimsholm accessory stand in the stores for optimal cross-selling effects. Simply, a perfect recipe for success!

Norton Andreasson  
Swedish Champion in OK-kart  
uses Grimsholm Alkylate  
● Swedish Champion 2020 WSK  
○ Open Cup Vice-Champion 2020



# FUEL

## ALKYLATE 2

- Low smoke version
- Meets European standards
- 100% synthetic TC-W3 oil additive



## ALKYLATE 4

- Optimized for maximum power
- Meets European standards
- Improved user environment



### 2-STROKE WITH LOW SMOKE EXPERIENCE

**Grimsholm® Alkylate 2 is an environmentally adapted petrol for two-stroke engines.**

It is mixed with 2% biodegradable two-stroke oil of synthetic esters with no ash additives. This improves lubrication and antioxidant properties and work for extended engine life.

Alkylate 2 is used to advantage in various power tools with two-stroke engines such as in chainsaws, trimmers, snowmobiles, mopeds, go-karts, boat engines etc.

The oil in Grimsholm® Alkylate 2 is TC-W3 approved by NMMA (National Marine Manufacturers Association) with number RL 91506H and do meet the requirements of API TC+, Husqvarna 266 as well as SS 155461.



### MAXIMUM POWER TO THE 4-STROKE NEEDS

**Presenting a special developed alkylate fuel suitable for a wide range of 4-stroke appliances** like lawn-mowers, tractors, snow mobiles and go-carts.

The Alkylate 4 is as well as our other Alkylate products corresponding with European standards for Alkylate. We are proud of being able to lower the Olefines and other harmful substances in petrol close to zero.

The fuel have due to it's environmental properties taken large market shares in use at indoor gocart tracks in Scandinavia a well as it have been praised by the garden and forestry industry.



ART.NO.	EAN	ARTICLE NAME	RETAIL PACK
<b>ALKYLATE 2</b>			
52046	7333272520468	Alkylate 2, 1 L	12
52050	7333272520505	Alkylate 2, 5 L	54
52055	7333272520550	Alkylate 2, 25 L	12
52058	7333272520581	Alkylate 2, 194 L	1

\* First order of ADR goods from customer subject to special application process and approval.

ART.NO.	EAN	ARTICLE NAME	RETAIL PACK
<b>ALKYLATE 4</b>			
52066	7333272520666	Alkylate 4, 1 L	12
52070	7333272520703	Alkylate 4, 5 L	54
52075	7333272520758	Alkylate 4, 25 L	12
52078	7333272520789	Alkylate 4, 194 L	1

\* First order of ADR goods from customer subject to special application process and approval.

# GREASE



Extraordinary structural adhesion and cohesion | Sufficient viscosity under various conditions

# OIL



Products developed for high demands | Reduced consumption through excellent lubricity

## Optimized balance of performance additives

Grimsholm's range of grease products developed by leading European labs with high-tech additives with the environment in mind.

## Assortment for professional forestry and agriculture

Grimsholm's range of oil products are developed for high-performance applications with excellent lubrication properties. Large part of the range consists of bio products with excellent environmental properties.



### GREASE

ART.NO.	EAN	ARTICLE NAME	RETAIL PACK
<b>UNIVERSAL GREASE PREMIUM</b>			
53050	7333272530504	Universal grease Premium, 100 gr	12
53052	7333272530528	Universal grease Premium, 225 gr	12
53054	7333272530542	Universal grease Premium, 400 gr	12
<b>HIGH TEMP GREASE PREMIUM</b>			
53064	7333272530641	High temp grease Premium, 400 gr	12
53066	7333272530665	High temp grease Premium, 18 kg	1
53068	7333272530689	High temp grease Premium, 180 kg	1
<b>BEVEL GEAR GREASE PREMIUM BIO</b>			
53070	7333272530702	Bevel gear grease Premium bio, 100 gr	12
53072	7333272530726	Bevel gear grease Premium bio, 225 gr	12
<b>FORESTRY/AGRI GREASE PREMIUM BIO</b>			
53090	7333272530900	Forestry/Agri grease Premium bio, 400 gr	12
53092	7333272530924	Forestry/Agri grease Premium bio, 18 kg	1
53096	7333272530962	Forestry/Agri grease Premium bio, 180 kg	1
<b>FORESTRY/AGRI GREASE PREMIUM COLD BIO</b>			
54000	7333272540008	Forestry/Agri grease Premium Cold bio, 400 gr	12
54002	7333272540022	Forestry/Agri grease Premium Cold bio, 18 kg	1
54006	7333272540060	Forestry/Agri grease Premium Cold bio, 180 kg	1

### OIL

ART.NO.	EAN	ARTICLE NAME	RETAIL PACK
<b>SAWCHAIN OIL PREMIUM MINERAL</b>			
54050	7333272540503	Sawchain oil Premium Mineral, 1 L	12
54052	7333272540527	Sawchain oil Premium Mineral, 4 L	4
<b>SAWCHAIN OIL PREMIUM BIO</b>			
54070	7333272540701	Sawchain oil Premium Bio, 1 L	12
54072	7333272540725	Sawchain oil Premium Bio, 5 L	1
54074	7333272540749	Sawchain oil Premium Bio, 20 L	1
<b>HYDRALIC OIL PREMIUM BIO</b>			
54082	7333272540824	Hydraulic oil Premium Bio, 20 L	1
54084	7333272540848	Hydraulic oil Premium Bio, 200 L	1
<b>ENGINE OIL PREMIUM SAE-30</b>			
54092	7333272540923	Engine oil Premium SAE-30, 0,6 L	12
54095	7333272540954	Engine oil Premium Winter 5W-40, 1L	12
<b>2-STROKE OIL PREMIUM BIO</b>			
55005	7333272550052	2-Stroke oil Premium Bio, 1 L	12
55010	7333272550106	2-Stroke oil Premium Bio (portion), 1 L	12
<b>COMPRESSOR OIL</b>			
55015	7333272550151	Compressor oil, 0,6 L	12



# GUIDE BARS & SAW CHAINS

## SAW CHAINS

Grimsholm® saw chains is the outcome of the combination of Swedish engineering, German steel, HQ grinding and a stretching process that makes the chains sharp and ready to use direct out of package with less need of time consuming manual stretching during use.



- During my 40 years as Development Director and Quality Manager for some of the world's leading manufacturers of cutting equipment, I learned how to combine the highest quality and functionality of saw chains and guide bars. Now, together with a specific and selected test group of professional users from the Swedish forest industry and Grimsholm's own development center, we have reached a completely new level that has not existed on the market before.

Dagb Larsson, Product Specialist Forestry Accessories, Grimsholm Product AB

### PREMIUM CUT SERIES



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK	
<b>1/4" NK - NARROW KERF</b>					
782	7350076767820	Premium Cut 44 DL, 1/4" .043"/1.1 mm	3Y	10	
792	7350076767929	Premium Cut 52 DL, 1/4" .043"/1.1 mm	3Y	10	
795	7350076767950	Premium Cut 56 DL, 1/4" .043"/1.1 mm	3Y	10	
797	7350076767974	Premium Cut 60 DL, 1/4" .043"/1.1 mm	3Y	10	
799	7350076767998	Premium Cut 64 DL, 1/4" .043"/1.1 mm	3Y	10	
800	7350076768001	Premium Cut 72 DL, 1/4" .043"/1.1 mm	3Y	10	
<b>Reels</b>					
20023	7333272200230	Premium Cut 600 DL, 1/4" NK .043"/1.1 mm	3Y	1	
20025	7333272200254	Premium Cut 2400 DL, 1/4" NK .043"/1.1 mm	3Y	1	
<b>NEW</b>	20009	7333272200094	Joining link kit 1/4" NK .043"/1.1mm, 30pcs	3Y	1
<b>3/8" LP - LOW PROFILE</b>					
801	7350076768018	Premium Cut 40 DL, 3/8" .043"/1.1 mm	3Y	10	
<b>NEW</b>	802	7350076768025	Premium Cut 44 DL, 3/8" .043"/1.1 mm	3Y	10
803	7350076768032	Premium Cut 45 DL, 3/8" .043"/1.1 mm	3Y	10	
812	7350076768124	Premium Cut 46 DL, 3/8" .043"/1.1mm	3Y	10	
804	7350076768049	Premium Cut 50 DL, 3/8" .043"/1.1 mm	3Y	10	
805	7350076768056	Premium Cut 52 DL 3/8" .043"/1.1 mm	3Y	10	
806	7350076768063	Premium Cut 40 DL, 3/8" .050"/1.3 mm	3Y	10	
807	7350076768070	Premium Cut 44 DL, 3/8" .050"/1.3 mm	3Y	10	
809	7350076768094	Premium Cut 45 DL, 3/8" .050"/1.3 mm	3Y	10	
811	7350076768117	Premium Cut 49 DL, 3/8" .050"/1.3 mm	3Y	10	
815	7350076768155	Premium Cut 50 DL, 3/8" .050"/1.3 mm	3Y	10	
825	7350076768254	Premium Cut 52 DL, 3/8" .050"/1.3 mm	3Y	10	
827	7350076768278	Premium Cut 53 DL, 3/8" .050"/1.3 mm	3Y	10	
830	7350076768308	Premium Cut 55 DL, 3/8" .050"/1.3 mm	3Y	10	
832	7350076768322	Premium Cut 56 DL, 3/8" .050"/1.3 mm	3Y	10	
834	7350076768346	Premium Cut 57 DL, 3/8" .050"/1.3 mm	3Y	10	
836	7350076768360	Premium Cut 60 DL, 3/8" .050"/1.3 mm	3Y	10	
<b>Reels</b>					
20030	7333272200308	Premium Cut 1640 DL, 3/8" LP .050"/1.3 mm	3Y	1	
<b>3/8"</b>					
908	7350076769084	Premium Cut 68 DL, 3/8" .058"/1.5 mm	3Y	10	
910	7350076769107	Premium Cut 72 DL, 3/8" .058"/1.5 mm	3Y	10	
852	7350076768520	Premium Cut 66 DL, 3/8" .063/1.6 mm	3Y	10	
854	7350076768544	Premium Cut 72 DL, 3/8" .063/1.6 mm	3Y	10	
<b>Reels</b>					
20060	7333272200605	Premium Cut 1640 DL, 3/8" .058"/1.5 mm	3Y	1	



850





## PREMIUM SAW CHAINS

- German steel
- High precision grinding
- Optimal lubrication

<b>.325"</b>					
NEW	840	7350076768407	Premium Cut 56 DL, .325" .050"/1.3 mm	3Y	10
	843	7350076768438	Premium Cut 60 DL, .325" .050"/1.3 mm	3Y	10
	845	7350076768452	Premium Cut 64 DL, .325" .050"/1.3 mm	3Y	10
NEW	846	7350076768469	Premium Cut 66 DL, .325" .050"/1.3 mm	3Y	10
	847	7350076768476	Premium Cut 67 DL, .325" .050"/1.3 mm	3Y	10
	850	7350076768506	Premium Cut 72 DL, .325" .050"/1.3 mm	3Y	10
<b>Reels</b>					
	20035	7333272200353	Premium Cut 1848 DL, .325".050"/1.3 mm	3Y	1
<b>.325" .058"/1.5 mm</b>					
	860	7350076768605	Premium Cut 56 DL, .325" .058"/1.5 mm	3Y	10
	865	7350076768650	Premium Cut 64 DL, .325" .058"/1.5 mm	3Y	10
NEW	867	7350076768674	Premium Cut 66 DL, .325" .058"/1.5 mm	3Y	10
	870	7350076768704	Premium Cut 72 DL, .325" .058"/1.5 mm	3Y	10
<b>Reels</b>					
	20045	7333272200452	Premium Cut 1848 DL, .325" .058"/1.5 mm	3Y	1
<b>.325" .063"/1.6 mm</b>					
	878	7350076768780	Premium Cut 56 DL, .325" .063"/1.6 mm	3Y	10
	879	7350076768797	Premium Cut 62 DL, .325" .063"/1.6 mm	3Y	10
	880	7350076768803	Premium Cut 66 DL, .325" .063"/1.6 mm	3Y	10
	881	7350076768810	Premium Cut 67 DL, .325" .063"/1.6 mm	3Y	10
NEW	882	7350076768827	Premium Cut 68 DL, .325" .063"/1.6 mm	3Y	10
	885	7350076768858	Premium Cut 72 DL, .325" .063"/1.6 mm	3Y	10
	887	7350076768872	Premium Cut 74 DL, .325" .063"/1.6 mm	3Y	10


## PREMIUM CUT PRO SERIES



ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK
<b>.325"</b>				
	890	7350076768902	Premium Cut Pro 56 DL, .325" .050"/1.3 mm	3Y 10
	893	7350076768933	Premium Cut Pro 64 DL, .325" .050"/1.3 mm	3Y 10
	894	7350076768940	Premium Cut Pro 67 DL, .325" .050"/1.3 mm	3Y 10
	896	7350076768964	Premium Cut Pro 72 DL, .325" .050"/1.3 mm	3Y 10
<b>Reels</b>				
	20040	7333272200407	Premium Cut Pro 1848 DL, .325".050"/1.3 mm	3Y 1
<b>.325" .058"/1.5 mm</b>				
	898	7350076768988	Premium Cut Pro 56 DL, .325" .058"/1.5 mm	3Y 10
	903	7350076769039	Premium Cut Pro 64 DL, .325" .058"/1.5 mm	3Y 10
	906	7350076769060	Premium Cut Pro 72 DL, .325" .058"/1.5 mm	3Y 10
<b>Reels</b>				
	20050	7333272200506	Premium Cut Pro 1848 DL, .325".058"/1.5 mm	3Y 1
<b>.325" .063"/1.6 mm</b>				
	872	7350076768728	Premium Cut Pro 56 DL, .325" .063"/1.6 mm	3Y 10
	874	7350076768742	Premium Cut Pro 62 DL, .325" .063"/1.6 mm	3Y 10
	876	7350076768766	Premium Cut Pro 67 DL, .325" .063"/1.6 mm	3Y 10
<b>Reels</b>				
	20055	7333272200551	Premium Cut Pro 1848 DL, .325" .063"/1.6 mm	3Y 1
<b>3/8"</b>				
	912	7350076769121	Premium Cut Pro 68 DL, 3/8" .058"/1.5 mm	3Y 10
	914	7350076769145	Premium Cut Pro 72 DL, 3/8" .058"/1.5 mm	3Y 10
<b>Reels</b>				
	20065	7333272200650	Premium Cut Pro 1640 DL, 3/8" .058"/1.5 mm	3Y 1
<b>.063"/1.6 mm</b>				
	856	7350076768568	Premium Cut Pro 66 DL, 3/8" .063"/1.6 mm	3Y 10
	858	7350076768582	Premium Cut Pro 72 DL, 3/8" .063"/1.6 mm	3Y 10
<b>Reels</b>				
	2v070	7333272200704	Premium Cut Pro 1640 DL, 3/8" .063"/1.6 mm	3Y 1

## GUIDEBARS

Grimsholm® guidebars are manufactured under same strict quality control as we do manufacture our saw chains. With a high technology heating process we can combine a long life span with a highly flexible body.



### PREMIUM CUT

ART.NO.	EAN	ARTICLE NAME	WARRANTY	RETAIL PACK	TYPE
<b>NEW 1/4"</b>					
976	7350076769763	Premium Cut 10" 1/4" .043"/1.1 mm (for Stihl)	3Y	10	2
977	7350076769770	Premium Cut 12" 1/4" .043"/1.1 mm (for Stihl)	3Y	10	2
<b>3/8"</b>					
NEW	972	7350076769725	Premium Cut 12" 3/8" .043"/1.1 mm (for Husqvarna)	3Y	10 1
NEW	916	7350076769169	Premium Cut 10" 3/8" .050"/1.3 mm (for Husqvarna)	3Y	10 1
	915	7350076769152	Premium Cut 12" 3/8" .050"/1.3 mm (for Husqvarna)	3Y	10 1
	920	7350076769206	Premium Cut 14" 3/8" .050"/1.3 mm (for Husqvarna)	3Y	10 1
	925	7350076769251	Premium Cut 14" 3/8" .050"/1.3 mm (for Stihl)	3Y	10 2
	930	7350076769305	Premium Cut 16" 3/8" .050"/1.3 mm (for Stihl)	3Y	10 2
	996	7350076769961	Premium Cut 18" 3/8" .058"/1.5 mm (for Husqvarna)	3Y	10 5
	997	7350076769978	Premium Cut 20" 3/8" .058"/1.5 mm (for Husqvarna)	3Y	10 5
	998	7350076769985	Premium Cut 18" 3/8" .063"/1.6 mm (for Stihl)	3Y	10 4
	999	7350076769992	Premium Cut 20" 3/8" .063"/1.6 mm (for Stihl)	3Y	10 4
<b>.325"</b>					
	940	7350076769404	Premium Cut 13" .325" .050"/1.3 mm (for Husqvarna)	3Y	10 3
	945	7350076769459	Premium Cut 15" .325" .050"/1.3 mm (for Husqvarna)	3Y	10 3
NEW	947	7350076769473	Premium Cut 16" .325" .050"/1.3 mm (for Husqvarna)	3Y	10 3
	950	7350076769503	Premium Cut 18" .325" .050"/1.3 mm (for Husqvarna)	3Y	10 3
	960	7350076769602	Premium Cut 13" .325" .058"/1.5 mm (for Husqvarna)	3Y	10 3
	965	7350076769657	Premium Cut 15" .325" .058"/1.5 mm (for Husqvarna)	3Y	10 3
NEW	967	7350076769671	Premium Cut 16" .325" .058"/1.5 mm (for Husqvarna)	3Y	10 3
	970	7350076769701	Premium Cut 18" .325" .058"/1.5 mm (for Husqvarna)	3Y	10 3
	992	7350076769923	Premium Cut 13" .325" .063"/1.6 mm (for Stihl)	3Y	10 4
	993	7350076769930	Premium Cut 15" .325" .063"/1.6 mm (for Stihl)	3Y	10 4
	994	7350076769947	Premium Cut 16" .325" .063"/1.6 mm (for Stihl)	3Y	10 4
	980	7350076769800	Premium Cut 16" .325" .063"/1.6 mm (for Stihl)	3Y	10 2
	990	7350076769909	Premium Cut 18" .325" .063"/1.6 mm (for Stihl)	3Y	10 2

Watch the Grimsholm® forestry products movie at [www.grimsholm.com](http://www.grimsholm.com)

# HARVESTER CHAINS

## MAXIMIZED CHIP REMOVAL TECHNOLOGY

**German steel, Swedish engineering and excellent cost effective production methods.** This has shown to be the winning concept and have made huge difference for many European harvester owners. Grimsholm® developed unique grinding angles leads to extraordinary high flow chip removal in combination with optimal lubrication which gives high efficiency and a good operational economy.

"However, both are positively surprised by Grimsholm's factory grinding. **The Grimsholm saw chain factory sharpening beats most brands.** The Contribution to this is probably the grinding angles and also the slightly different design of the cutting teeth which is visible when the chain is inspected in detail."

- Tidningen SKOGEN, Issue No. 12, 2022, Review 22/12



### HARVESTER CHAIN

UNIQUE ENGINEERED GRINDING ANGLES  
Made of German steel

- Extraordinary high flow chip removal
- Optimal lubrication
- Swedish engineering



ART.NO.	ARTICLE NAME	WARRANTY	RETAIL PACK
<b>1.6 MM</b>			
21010	Reel 1480 DL .404" .063"/1.6 mm	3Y	1
<b>NEW</b> 21048-21105	Loop XXX DL .404" .063"/1.6 mm	3Y	1
(Example: 87 DL loop has article no 21087)			
<b>2.0 MM</b>			
<b>NEW</b> 22009	Joining link kit .404" .080"/2.0mm, 30pcs	3Y	1
22010	Reel 1480 DL .404" .080"/2.0 mm	3Y	1
<b>NEW</b> 22048-22109	Loop XXX DL .404" .080"/2.0 mm	3Y	1
(Example: 87 DL loop has article no 22087)			



# EASY ORDER

For bestilling i Norge:

På nett: [robotklipperne.no](http://robotklipperne.no)  
På epost: [post@robotklipperne.no](mailto:post@robotklipperne.no)  
Tel. 97800800

Norsk Robotklippersenter AS  
Stensrudvegen 5a  
2335 Stange



## Respect of trademark owner rights

Grimsholm® is a registered trademark within EU, China, and other applicable countries. Products wearing the Grimsholm® brand are often accessories compatible with machinery of other brands. Compatibility is communicated with the best of intentions to respect each trademark owner. All Grimsholm® labeled products are produced by Grimsholm Products AB and its partners without any cooperation with the trademark owner of the machine the accessory is compatible with.

As a distributor or retailer of Grimsholm® you are expected to respect the rights of each trademark owner and only use the Grimsholm® trademark as well as other trademarks mentioned in accordance with all applicable laws and regulations.

# GRIMSHOLM EXTENDED WARRANTY

Our success is built on trust. It is important that both you as a reseller and the consumer can feel secure with the products that carry the Grimsholm® brand.

We therefore place a great deal of focus on the choice of materials and testing of our products, and this is reflected in our ability to guarantee their quality through a clear and generous warranty package which applies to you as a reseller.



## 1-YEAR WARRANTY

The products comply with all applicable EU directives and are manufactured in a production environment that has been certified as offering good working conditions for employees and high-quality production technology. If the product is an accessory or spare part for a machine, our ambition is for **the quality level to always be at least the same as the original part from the machine manufacturer.**

## 3-YEAR WARRANTY

The products comply with all applicable EU directives and are manufactured in a production environment that has been certified as offering good working conditions for employees and high-quality production technology. A product that achieves 3Y classification has undergone extensive testing and our ambition is for **it to stand out in terms of quality.**

## 10-YEAR WARRANTY

The products comply with all applicable EU directives and are manufactured in a production environment that has been certified as offering good working conditions for employees and high-quality production technology. The product is made of extra high-quality materials to guarantee an extremely high level of operating reliability, a long life and is specially produced for professional users. Our ambition is for a 10 Y product to be **the best available to buy on the market.**

## WHEN THE WARRANTY APPLIES

### THE WARRANTY IS VALID AS FOLLOWS:

- In the event of material and/or production defects on the Grimsholm® product, the Grimsholm® product is replaced.
- In the event of damage to the machine the Grimsholm® product is used on and the Grimsholm® product has caused the damage, the machine will be repaired or replaced.

### EXCEPTIONS

The special warranty does NOT apply in the following cases:

- With normal wear and tear (e.g. normal wear to blades and trimmer line)
- Failure to follow the user manual, installation, service and safety instructions or similar from the machine manufacturer and/or Grimsholm
- Incorrect installation or improper use
- If the damage is reimbursed by another warranty or insurance

Full warranty conditions can be found on [www.grimsholm.com](http://www.grimsholm.com).



SWEDISH   
ENGINEERING



# 2023

## HIGH QUALITY GARDEN & FORESTRY ACCESSORIES



FOR GRIMSHOLM PRODUCTS AS I NORGE  
NORSK ROBOTKLIPPERSENTER AS  
STENSRUDVEGEN 5A  
2335 STANGE  
[POST@ROBOTKLIPPERNE.NO](mailto:POST@ROBOTKLIPPERNE.NO)  
+47 97800800







SWEDISH  ENGINEERING



# 2023

## HIGH QUALITY GARDEN & FORESTRY ACCESSORIES

FOR GRIMSHOLM PRODUCTS AS I NORGE

NORSK ROBOTKLIPPESENTER AS  
STENSRUDVEGEN 5A  
2335 STANGE  
POST@ROBOTKLIPPERNE.NO  
+47 97800800

